Osceola County, FL Herb, Spice and Edible Flower Garden Planting Calendar

Osceola County is in USDA COLD HARDINESS ZONE 9b | FIRST FREZE likely by December 25 | LAST FREZE likely by January 25 When seeding herbs, it is recommended to plant in plug trays, then transplant. Planting months below refer to seeding, unless suggested planting method is something other than "Seed". Many edible plants are sold as ornamental plants and the pesticides and application methods used on ornamental plants may not be safe for use on food plants. Ensure that seed or plants you intend to cultivate for food have not been treated with pesticides unapproved for food crops.

Light: S-Sun | PSh- Part Shade | Sh- Shade

Cold Hardiness: T- Tender, injured by light frost | H- Hardy, can stand frost and usually some freezing without injury | SH- somewhat hardy, not injured by light frost

| | | | | 1108 | , , | | | | | | | | | | | | |
|---|--|--|-------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------------------|-------------------------------|
| Crop | Growing/ Harvest Notes | Edible parts | Light | Jan | Feb | Mar | Apr | Мау | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cold Hardiness | Days from seed- harvest |
| Anise Pimpinella anisum | Annual. Soak seed 24h before planting | seed, leaf | S | | | | | | | | | Х | Х | | | Т | 120 |
| Annatto/Achiote Bixa orellana | Perennial shrub. Grow in a pot and bring inside during cold. | seed, harvest when pods are dry | S | | | Х | X | | | | | | | | | Т | variable |
| Arugula | Annual | flower (leaf eaten as vegetable) | S | Х | Х | Х | | | | | | Х | Х | х | х | | 75+ |
| Basil Ocimum spp. | Typically grown as annual. | leaf, flower | S-PSh | | Х | Х | Х | | | | | Х | Х | | | Т | 60-80 |
| Bay Laurus nobilis | Perennial evergreen tree. Buy plant at a nursery. | leaf | S | | | Х | Х | Х | | | | | | | | Н | N/A |
| Bee Balm Monarda spp. | Annual | leaf, flower | PSh | | | Х | Х | Х | | | | | | | | Т | |
| Blue Porterweed Stachytarpheta jamaicensis | Perennial. Buy plant at a nursery. | flower | PSh | | | х | х | х | х | х | х | | | | | Н | N/A |
| Borage Borago officinalis | Annual | leaf, flower | S | | | | | | | | | Х | Х | | | Т | 120 |
| Burnet Sanguisorba minor | Perennial. Buy seedling at a nursery. | leaf | S-PSh | | | | | | | | | Х | Х | | | Н | 70 |
| Calendula Calendula officinalis | Annual | flower | PSh-S | | | Х | | | | | | | | х | Х | Т | 55-60 |
| Catnip Nepeta cataria | Perennial | leaf, flower | S-PSh | | Х | Х | | | | | | | | | | | 75-85 |
| Chamomile Chamaemilum mobile & Matricaria recutita | Annual | leaf, flower | S-PSh | | | | | | | | | х | х | | | Т | 60-65 |
| Chervil Anthriscus cerefolium | Annual | leaf | PSh | | | | | | | | | х | х | | | Т | 60 |
| Chives Allium schoenoprasum/ Garlic Chives Allium tuberosum | Perennial. Start new plants by dividing established ones. | leaf, flower | 8 | X | X | X | X | X | х | х | х | х | х | х | X | н | 75-85 |

| Crop | Growing/ Harvest Notes | Edible parts | Light | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cold Hardiness | Days from seed- harvest |
|---|--|---|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------------------|-------------------------------|
| Cilantro/ Coriander Coriandrum sativum | Annual. Black Swallowtail butterly caterpillar plant; grow in screened area if you want to harvest leaves/seeds. | leaf, seed, flower | S-PSh | х | Х | х | | | | | | х | Х | х | Х | Т | 90 |
| Cumin Cuminum cyminum | Annual | seed | S | | | | | | | | | Х | Х | Х | Х | Т | 150 |
| Dill Anethum graveolens | Annual. Black Swallowtail butterly caterpillar plant; grow in screened area if you want to harvest leaves/seeds. | leaf, seed, flower | S | | | | | | | | | | х | х | Х | Т | 40-65 |
| Elderflower Sambucus canadensis | Wild-growing, native perennial. Spreads by root; not recommended in landscapes. Blooms throughout the year. Proper identification critical-looks similar to poisonous species. | flower, (fruit, if cooked thoroughly) | S | | | | | | | | | | | | | | N/A |
| Fennel Foeniculum vulgare | Perennial (if stem base not harvested). Black Swallowtail butterly caterpillar plant; grow in screened area if you want to harvest leaves/seeds. | leaf, stem base, seed, flower | Ø | x | х | X | | | | | | x | X | x | X | Н | 80 |
| Fenugreek Triogonella foenum-graecum | Annual | seed, leaf | S | | | | | | | | | Х | Х | Х | | | 45-150 |
| Garlic | Annual. Difficult to grow in C. FL. Garlic plants are started from cloves. | under-ground bulb | S | Х | | | | | | | | | Х | Х | Х | Н | |
| Garlic, Society Tulbaghia violacea | Perennial. Start new plants by dividing established ones. | rhizome, leaf, flower | S | Х | Х | Х | Х | Х | Х | Х | Х | Х | Х | Х | Х | Н | N/A |
| Ginger Zingiber officinale | Perennial. Plant rhizomes. | rhizome | PSh | | | X | Х | Х | | | | | | | | Т | 6-12 mon. |
| Horehound Marrubium vulgare | Perennial. Can be started by seed, cuttings or division. | leaf | S | | Х | X | | | | | | | | | | | variable |
| Lavender <i>Lavendula</i> spp. | Annual. Difficult to grow in C. FL. Buy plant from a nursery. | leaf, flower | S | | | | | | | | | Х | Х | | | | 100-110 |
| Lemon Balm Melissa officinalis | Perennial. Can be started by seed or cutting. | leaf | S | | Х | Х | | | | | | | | | | | 70 |
| Lemon Grass Cymbopogon citratus | Perennial. Start new plants by dividing established ones. | leaf | S | | | Х | Х | Х | х | | | | | | | Н | N/A |
| Lemon Verbena Aloysia triphylla | Perennial shrub | leaf | S-PSh | | | Х | Х | Х | Х | Х | Х | Х | Х | | | Т | N/A |
| Lovage Levisticum officinale | Grown as an annual | leaf, seed, stem, root | PSh-S | | | | | | | | | Х | | | | Н | 90 |
| Marigold Tagetes signata | Annual | flower petals | S | | | Х | Х | | | | | | Х | | | Т | 55 |

| | /6 | oarts | | | | | | | | | | | | | | ss | ш _с |
|---|---|---|--------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----------------|-------------------------------|
| Crop | Growing/ Harvest Notes | Edible parts | Light | Jan | Feb | Mar | Apr | Мау | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cold Hardine | Days from seed- harvest |
| Marjoram Origanum majorana | Perennial | leaf | S-PSh | | х | Х | | | | | | | Х | | | н | 85-90 |
| Mints Mentha spp. | Perennial | leaf, flower | Sh-S | | | Х | | | | | | | Х | | | Т | 60 |
| Mustard | Annual | flower (leaf eaten as vegetable) | S | Х | х | Х | | | | | | х | Х | Х | Х | Н | 75+ |
| Nasturtium Tropaeolum majum | Annual | flower, leaf | S-PSh | | Х | Х | | | | | | | Х | Х | | SH | 55-65 |
| New Jersey Tea Ceanothus americanus | Perennial shrub | leaf | S-PSh | Х | Х | Х | | | | | | | | | | Н | |
| Okra | Annual | flower (fruit eaten as vegetable) | S | | | Х | Х | Х | Х | Х | Х | | | | | Т | 50-65 |
| Oregano Origanum spp. | Perennial | leaf | S | | Х | Х | | | | | | | | | | Н | 80-90 |
| "Oregano", Cuban Plectranthus amboinicus | Perennial. Can start new plants from cuttings. | leaf | S-PSh | | | X | X | X | Х | X | X | | | | | SH | N/A |
| "Oregano", Mexican Lippia graveolens | Perennial. Usually dried for culinary use. | leaf | S | | | Х | × | Х | | | | | | | | т | 60? |
| Parsley Petroselinum crispum | Annual. Black Swallowtail butterly caterpillar plant; grow in screened area if you want to harvest leaves/seeds. | leaf | S | х | | | | | | | | Х | Х | х | х | Н | 70-90 |
| Pineapple Sage Salvia elegans | Perennial | leaf, flower | PSh | | | | | | | | | | | | | | |
| Radish | Annual. Directly seed into growing area. | flower (root eaten as vegetable) | S | х | х | х | | | | | | Х | Х | х | х | Н | 40+ |
| Recao/Culantro Eryngium foetidum | Grown as annual. | leaf | PSh | Х | Х | | | | | | | | Х | Х | Х | Т | 80-90 |
| Roselle Hibiscus sabdariffa | Annual. Swollen, fleshy calyces harvested after flowering, for flavoring beverages. Can be started by seed or cutting. | (Calyx), leaf eaten as vegetable | S | | | | х | х | | | | | | | | Т | 120-150 |
| Rosemary Rosmarinus officinalis | Perennial. Buy plant at a nursery. | leaf | S | | | Х | Х | Х | Х | Х | | | | | | Н | N/A |
| Sage Salvia officinalis | Short-lived perennial. Buy plant at a nursery. | leaf | S | Х | Х | Х | Х | | | | | Х | Х | Х | Х | Н | 80-90 |
| Sarsaparilla Aralia nudicaulis | | root | Sh-PSh | | | | | | | | | | | | | | |
| Savory Satureja spp. | Short-lived perennial. | leaf | PSh | | | | | | | | | | Х | Х | | | 60-70 |

| Crop | Growing/ Harvest Notes | Edible parts | Light | Jan | Feb | Mar | Apr | Мау | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Cold Hardiness | Days from seed- harvest |
|--|---|--|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------------------|-------------------------------|
| Squash | Annual. Directly seed into growing area. Female blossoms tastier, (F flowers have swollen embryonic fruit at flower base that will develop into a squash). If harvesting squash also, harvest male flowers. Unopened blossoms have longer shelf life. Remove anthers before eating. | Flower, (fruit eaten as vegetable) | S | | X | × | | | | | | | × | | | | 60-70 |
| Stevia Stevia rebaudinana | Short-lived perennial. | leaf | PSh | | | х | | | | | | | | | | Т | 100-120 |
| Tarragon Artemisia dracunculus | Short-lived perennial. Buy plant at a nursery. | leaf | PSh | | | | | | | | | X | X | | | Т | 90 |
| Thyme <i>Thymu</i> s spp. | Perennial | leaf | S | | | | | | | | | Х | Х | | | Н | 90-95 |
| Winter "Tarragon" Tagetes lucida | Best used fresh or frozen rather than dried. | leaf | S | | | Х | | | | | | | | | | Н | N/A |

Many plants on this list are typically used in small quantities as flavoring, coloring, or medicine, and may cause adverse reactions in some individuals, particularly if consumed in large quantities or if not prepared properly.

Compiled by Jessica Sullivan, UF IFAS Extension-Osceola County, 1921 Kissimmee Valley Ln., Kissimee, FL 34744 | 321-697-3000 | Published October 2018

